JELD WEN. Fiberglass Exterior Door Offering





* Availible Low-e

The Smooth-Pro Line offers a complete selection of fiberglass designs in contemporary styles. Smooth-Pro doors provide the look of traditional painted wood doors with the added benefits of energy efficiency and a no-dent, lowmaintenance surface.

JW JELD WEN.

SMOOTH-PRO

- » Clean, classic lines creating the look of a traditional wood door
- » Extremely long-lasting and stable, the perfect choice for nearly any climate
- Graphite enhanced BASF Neopor core for » improved energy efficiency, exclusive to JELD-WEN
- Manufactured with a light brush stroke on the » face of the door for superior paint adherence
- Lifetime limited warranty »





SPSL

694GBG*

SP868SDL

Low-e

SPSL801 SPSL802

Low-e

Low-e





Shelf for Door





Heirlooms




SPSL692HM

SP686HM

SPSL694HM










SP686KP

SPSL694KP

F ------







Ī

田

SP607PEM

SPSL422PEM

SPSL694PEM

SP608KP

H

SPSL422KP

Oak Park

H

Pembrook

SP686PEM

JW JELD WEN. **DESIGN-PRO** Upgrade Options




DESIGN-PRO

DPF866PEM

Pembrook

FIR CRAFTSMAN



DPFSL801 DPFSL802

low-e

Design-Pro Fiberglass door series feature the beautiful appearance of Mahogany, Oak and Fir woodgrains. Engineered for energy-affiance and low-maintenance, Design-Pro doors readily accept stain for a beautiful and long-lasting finish. Not all styles are available in all woodgrains. Please check for available woodgrains in your style of choice.

OAK WOODGRAIN

Heirlooms



- **1** Granite Glass
- 2 Glue Chip Glass
- 3 Clear Bevels
- 4 Satin Nickel Caming



DPG686HM DPGSL694HM



DPG607HM DPGSI 4222HM



DPGSL692HM

VISIT KEYSTONEKOMFORT.COM FOR STYLES AND DESIGNS

Low-e







Oak Park



- 1 Crinkle Glass
- 2 Thin Reed Glass
- 3 Clear Bevels
- 4 Clear Seedy Glass
- 5 Patina Caming



DPG686KP DPGSL694KP



DPG608KP DPGSL422KP



DPG684KP DPGSL692KP

Pembrook

DPGSL694PEM

Doors and Sidelights with optional stain applied.

Doors are recomended

to be stained upon receipt.



DPG684PEM DPGSL692PEM

FIRE RATING 90 MIN

90 MINUTE FIRE DOORS 90 MINUTE STEEL FRAMES





UP Grade



MJ20 **UP** Grade

UP Grade





STANDARD FRAME



WHITE CAPPED

COMPOSITE (No paint required) This ready to use finished white frame provides a long-lasting finish. The closed cellular structure ensures the door frame will not absorb or wick moisture, and prevent warping, rotting and splitting.

COMPOSITE FRAME SYSTEM

Closed cellular structure ensures doorframe and molding will not absorb moisture and resists splitting, rotting and insect damage



WOOD FRAME SYSTEM

Traditional wood frame systems are prone to rotting, swelling, warping and insect damage.



UPGRADE FRAMES




Smooth Composite frame paintable only. Oak, Fir, Mahogany grained frame are paintable or stainable. All upgrade frames are available in a factory applied finish at an additional cost. If these frame are purchased without a factory finish, it is recommended that a finish be applied immediately upon receipt of the product.





STANDARD PAINT COLORS



Fixed Exterior grills are recommended when painting doors. Grills can then be painted to match the door.



Paint and Stain colors are computer generated digital images. Actual color may vary.